AMENDMENTS TO THE CLAIMS:

Replacement Claim Set:

- 1. (Canceled).
- 2. (Previously Presented) The method of Claim 24 wherein the device is selected from a group of balloon-expandable stents, self-expandable stents, and grafts.
- 3. (Previously Presented) The method of Claim 24 wherein

the component for reducing or preventing the formation of thrombi is selected from a group of heparin, sodium heparin, low molecular weight heparin, hirudin, argatroban, forskolin, vapiprost, prostacyclin and prostacyclin analogs, D-phe-pro-arg-chloromethylketone, dipyridamole, glycoprotein IIb/IIIa platelet membrane receptor antibody, and recombinant hirudin; and

the component for reducing or preventing the infiltration of macrophages in the thrombi is selected from a group of aspirin, diclofenac, etodolac, ibuprofen, ketoprofen, ketorolac, nabumetone, naproxen, oxaprozin, clobetasol, diflucortolone, flucinolone, halcinolonide, halobetasol, dexamethasone, betamethasone, corticol, cortisone, prednisone, and prednisolone.

- 4. (Currently amended) The method of Claim 24 wherein the eoating polymer includes an ethylene vinyl alcohol copolymer or a poly(n-butyl methacrylate) poly(butyl methacrylate) polymer.
- 5-9. (Canceled).
- 10. (Currently Amended) A stent for inhibiting restenosis of a mammalian blood vessel, comprising a generally tubular structure and:

a first layer comprising an anti-thrombogenic substance selected from a group of heparin, sodium heparin, low molecular weight heparin, hirudin, argatroban, forskolin, vapiprost, prostacyclin and prostacyclin analogs, D-phe-pro-arg-chloromethylketone, dipyridamole, glycoprotein IIb/IIIa platelet membrane receptor antibody, and recombinant hirudin; and

a second layer comprising an anti-inflammatory substance selected from a group of diclofenac, etodolac, ibuprofen, ketoprofen, ketorolac, nabumetone, naproxen, oxaprozin, clobetasol, diflucortolone, flucinolone, halcinolonide, halobetasol, betamethasone, corticol, cortisone, prednisone, and prednisolone,

wherein the second layer is positioned beneath the first layer <u>and wherein</u> at least one of the anti-thrombogenic substance or anti-inflammatory substance is in a blend form with a polymer.

- 11. (Canceled).
- 12. (Currently amended) The stent of Claim 26 10 wherein the polymeric coating polymer comprises an ethylene vinyl alcohol or a poly(n-butyl methacrylate) poly(butyl methacrylate) polymer.
- 13-17. (Canceled).
- 18. (Currently amended) A stent comprising a coating having a first region and a second region disposed beneath the first region, the first region having a substance for the treatment of thrombus formation and the second region having a steroidal or non-steroidal anti-inflammatory substance, wherein at least one of the substance for the treatment of thrombus formation or the steroidal or non-steroidal anti-inflammatory substance is in a blend form with a polymeric material.

- 19. (Currently amended) A stent comprising a first layer containing an antiinflammatory drug and a second layer disposed over the first layer, wherein the second layer reduces or prevents the formation or accumulation of thrombi on the stent, wherein the drug is in a blend form with a polymeric material.
- 20. (Previously presented) The stent of Claim 19, wherein the second layer is made of a material comprising polytetrafluoroethylene.
- 21-23. (Canceled).
- 24. (Currently Amended) A method for inhibiting restenosis of a blood vessel wherein the method comprises the step of

implanting a device into the blood vessel of a patient wherein the device comprises a coating including

a first layer having (i) a component for reducing or preventing the formation of thrombi; and (ii) a polymer, wherein the component for reducing or preventing the formation of thrombi is blended in the polymer combined with a polymer; and

a second layer having a component for reducing or preventing infiltration of macrophages in the thrombi,

wherein the second layer of the coating is positioned beneath the first layer.

- 25. (Currently amended) A method for inhibiting restenosis of a blood vessel wherein the method comprises the step of
 - implanting a device into the blood vessel of a patient wherein the device comprises a coating including

a first layer having a component for reducing or preventing the formation of thrombi; and

a second layer having (i) a component for reducing or preventing infiltration of macrophages in the thrombi; and (ii) a polymer, wherein the component for reducing or preventing infiltration of macrophages in the thrombi is blended in the polymer and,

wherein the second layer of the coating is positioned beneath the first layer.

26. (Canceled).